



1 EU-TYPE EXAMINATION CERTIFICATE

- 2 Equipment intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU
- 3 Certificate Number: Sira 10ATEX2060X

Issue: 2

- 4 Equipment: **AQ Valve Position Monitor**
- 5 Applicant: Intex Controls Limited
- 6 Address: Unit 4 Tenth Avenue Deeside Industrial Park Flintshire CH5 2UA UK
- 7 This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- 8 CSA Group Netherlands B.V., Notified Body Number 2813 in accordance with Articles 17 and 21 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential reports listed in Section 14.2.

9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule to this certificate, has been assured by compliance with the following documents:

EN 60079-0:2009

EN 60079-11:2007

- 10 If the sign 'X' is placed after the certificate number, it indicates that the equipment is subject to Specific Conditions of Use identified in the schedule to this certificate.
- 11 This EU-Type Examination Certificate relates only to the design and construction of the specified equipment. If applicable, further requirements of this Directive apply to the manufacture and supply of this equipment.
- 12 The marking of the equipment shall include the following:

II 2G Ex ia IIC T4/T5/T6 Gb

Note: the temperature class and ambient temperature range depends on the construction of the devices, see Equipment Description.

Project Number 1762

Signed:	Ale
	1.

Title: Director of Operations

This certificate and its schedules may only be reproduced in its entirety and without change **CSA Group Netherlands B.V.** Utrechseweg 310, 6812 AR, Arnhem, Netherlands

Page 1 of 6





EU-TYPE EXAMINATION CERTIFICATE

Sira 10ATEX2060X Issue 2

13 **DESCRIPTION OF EQUIPMENT**

The AQ - Valve Position Monitor has a metallic housing with a mechanical shaft fitted with cams and an indicator that is usually fitted to a valve. Contained within the main enclosure is a terminal board and various combinations of voltage-free switches, certified sensors or transmitters that are activated by the cams. The indicator that is on top of the enclosure provides visual indication of the shaft position, which correlates with the valve position. The enclosure may be manufactured from either stainless steel or aluminium and fitted with a standard cover.

Various functions are available as specified in the Model number:

Function	Description	Notes
17	Up to 2 off SPDT Gold Contact Mechanical Switch	Up to 0.5A @ 30VDC
40	Up to 2 off SPST Reed Switches (passive)	Up to 0.15A @ 30VDC
42	Up to 2 off V3 Style Proximity Sensor	ATEX certified to Ex ia IIC T4/T5/T6
43	Up to 2 off non-V3 Style Proximity Sensor	ATEX certified to Ex ia IIC T4/T5/T6
52	Between 3 & 6 off V3 Style Proximity Sensor	ATEX certified to Ex ia IIC T4/T5/T6
53	Between 3 & 6 off non-V3 Style Proximity Sensor	ATEX certified to Ex ia IIC T4/T5/T6
56	Between 3 & 6 off SPDT Gold Contact Mechanical Switch	Up to 0.5A @ 30VDC
59	Between 3 & 6 off SPST Reed Switches (passive)	Up to 0.15A @ 30VDC
70	Position Transmitter - resistive	4-20mA @10 – 30VDC
		ATEX certified to Ex ia IIC T4/T5/T6
		Monitor may include up to 4 additional
		switches/sensors from functions 17, 40, 42 or 43

Various options switches, sensors and transmitters are available as specified in the Model Number:

Option	Description		Notes		
Z	Voltage free Contac	t switch	-		
Y	Certified Proximity S	Sensor Type 1	-	-	
W	Certified Proximity S	Sensor Type 2	-		
V	Certified Transmitte	r	With optional Type	2 sensor	
U	Certified Proximity S	Sensor Low Temperature - Type 2	-		
Т	Certified Proximity S	Sensor Low Temperature - Type 1	-		
J	Certified Transmitte	r	With optional volt free switches		
Н	Certified Transmitte	r – Non Contact	With optional Type 2 sensor		
G	Certified Transmitte	r – Non Contact	With optional volt fr	ee switches	
F	Certified Transmitte	r	With optional Type	2 Low temperature sensor	
E	Certified Transmitte	r – Non Contact	With optional Type	2 Low temperature sensor	
Option	Description	Device type		Certificate no.	
Z	Voltage Free	Crouzet EF83161.8 Gold Plated Switch	-		
	Contact Switch	Stonel Corp SPST Maxx Guard 'J' Switch Stonel Corp SPDT Maxx Guard 'G' Switc	-		

This certificate and its schedules may only be reproduced in its entirety and without change





EU-TYPE EXAMINATION CERTIFICATE

Sira 10ATEX2060X Issue 2

Option	Description	Device type	Certificate no.
Y	Proximity Sensor	Hans Turck GmbH, Bi2-G12-Y1	Kema 02ATEX1090X
Type 1		Hans Turck GmbH, Bi5-G18-Y1	Kema 02ATEX1090X
		Hans Turck GmbH, Ni10-G18-Y1	Kema 02ATEX1090X
		Hans Turck GmbH, Ni2-G12-Y1	Kema 02ATEX1090X
		Hans Turck GmbH, Bi2-Q10S-Y1X	Kema 02ATEX1090X
		Hans Turck GmbH, Bi2-G12-Y1X	Kema 02ATEX1090X
		Hans Turck GmbH, Bi5-G18-Y1X	Kema 02ATEX1090X
		Hans Turck GmbH, Ni10-G18-Y1X	Kema 02ATEX1090X
		Hans Turck GmbH, Ni2-G12-Y1X	Kema 02ATEX1090X
		Hans Turck GmbH, Bi2-G12-Y1/S100	Kema 02ATEX1090X
		Hans Turck GmbH, Bi5-G18-Y1/S100	Kema 02ATEX1090X
		Hans Turck GmbH, Ni10-G18-Y1/S100	Kema 02ATEX1090X
		Hans Turck GmbH, Ni2-G12-Y1/S100	Kema 02ATEX1090X
W	Proximity Sensor	Pepperl & Fuchs, NCB2-12GMNO	PTB 00ATEX2048X
	Type 2	Pepperl & Fuchs, NJ2-11-N-G	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ2-V3-N	PTB 00ATEX2032X
		Pepperl & Fuchs, NJ4-14GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NCB2-V3-NO	PTB 00ATEX2032X
		Pepperl & Fuchs, NJ2-12GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ3-18GK-S1N	PTB 00ATEX2049X
		Pepperl & Fuchs, NJ5-11-N	PTB 00ATEX2048X
		Pepperl & Fuchs, SJ3,5N	PTB 00ATEX2219X
		Pepperl & Fuchs, NCN4-12GMN0	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ2-12GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ4-12GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ5-18GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ1.5-8GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ2-14GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ4-12GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ5-18GM-N	PTB 00ATEX2048X
V	Transmitter	PR Electronics, 5333B	Kema 03ATEX1535X
		PR Electronics, 5333C	Kema 03ATEX1535X
		PR Electronics, 5333D	Kema 03ATEX1535X
		PR Electronics 5335B	Kema 03ATEX1537X
		PR Electronics 5335C	Kema 03ATEX1537X
		PR Electronics 5335D	Kema 03ATEX1537X
		PR Electronics 5350B	Kema 02ATEX1318

This certificate and its schedules may only be reproduced in its entirety and without change





EU-TYPE EXAMINATION CERTIFICATE

Sira 10ATEX2060X Issue 2

Option	Description	Device type	Certificate no.
V (Cont'd)	Optional	Pepperl & Fuchs, NCB2-12GMNO	PTB 00ATEX2048X
v (cont d)	Proximity Sensor	Pepperl & Fuchs, NJ2-11-N-G	PTB 00ATEX2048X
	Type 2	Pepperl & Fuchs, NJ2-V3-N	PTB 00ATEX2032X
	Type 2	Pepperl & Fuchs, NJ4-14GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NCB2-V3-NO	PTB 00ATEX2032X
		Pepperl & Fuchs, NJ2-12GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ3-18GK-S1N	PTB 00ATEX2049X
		Pepperl & Fuchs, NJ5-11-N	PTB 00ATEX2048X
		Pepperl & Fuchs, SJ3,5-N	PTB 00ATEX2219X
		Pepperl & Fuchs, NCN4-12GMN0	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ2-12GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ4-12GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ5-18GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, SJ3,5-S1N	PTB 00ATEX2049X
		Pepperl & Fuchs, NJ1.5-8GM-N	PTB 00ATEX2049X
		Pepperl & Fuchs, NJ2-14GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ4-12GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ5-18GM-N	PTB 00ATEX2048X
U	Proximity Sensor	Pepperl & Fuchs, NJ2-11-SN-G	PTB 00ATEX2049X
0	Low	Pepperl & Fuchs, NJ2-11-SN-G	PTB 00ATEX2049X
	Temperature	Pepperl & Fuchs, NJ4-12GK-SN	PTB 00ATEX2049X
	Type 2	Pepperl & Fuchs, NJ5-18GK-SN	PTB 00ATEX2049X
	Type 2		PTB 00ATEX2049X
Т	Proximity Sensor	Pepperl & Fuchs, SJ3.5-SN Hans Turck GmbH, Bi2-P12-Y1X/S97	Kema 02ATEX1090X
I	Low	Hans Turck GmbH, Bi5-P12-Y1X/S97	Kema 02ATEX1090X
	Temperature	Hans Turck GmbH, Ni10-P12-Y1X/S97	Kema 02ATEX1090X
	Type 1		
1	Transmitter	Hans Turck GmbH, Ni5-P12-Y1X/S97	Kema 02ATEX1090X
J	Transmitter	PR Electronics, 5333B	Kema 03ATEX1535X
		PR Electronics, 5333C	Kema 03ATEX1535X
		PR Electronics, 5333D	Kema 03ATEX1535X
		PR Electronics 5335B	Kema 03ATEX1537X
		PR Electronics 5335C	Kema 03ATEX1537X
		PR Electronics 5335D	Kema 03ATEX1537X
		PR Electronics 5350B	Kema 02ATEX1318
	Optional Volt	Crouzet EF83161.8 Gold Plated Switch	-
	Free Switches	Stonel Corp SPST Maxx Guard 'J' Switch	-
		Stonel Corp SPDT Maxx Guard 'G' Switch	
G	Transmitter	Zettlex Printed Technologies Ltd,	FTZÚ 09ATEX0221X
		ST-1509-V1-A	
	Optional Volt	Crouzet EF83161.8 Gold Plated Switch	-
	Free Switches	Stonel Corp SPST Maxx Guard 'J' Switch	-
		Stonel Corp SPDT Maxx Guard 'G' Switch	-
Н	Transmitter	Zettlex Printed Technologies Ltd, ST-1509-V1-A	FTZÚ 09ATEX0221X

This certificate and its schedules may only be reproduced in its entirety and without change





EU-TYPE EXAMINATION CERTIFICATE

Sira 10ATEX2060X Issue 2

Option	Description	Device type	Certificate no.
H (Cont'd)	Optional	Pepperl & Fuchs, NCB2-12GMNO	PTB 00ATEX2048X
ζ γ	Proximity Sensor	Pepperl & Fuchs, NJ2-11-N-G	PTB 00ATEX2048X
	Type 2	Pepperl & Fuchs, NJ2-V3-N	PTB 00ATEX2032X
	,,	Pepperl & Fuchs, NJ4-14GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NCB2-V3-NO	PTB 00ATEX2032X
		Pepperl & Fuchs, NJ2-12GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ3-18GK-S1N	PTB 00ATEX2049X
		Pepperl & Fuchs, NJ5-11-N	PTB 00ATEX2048X
		Pepperl & Fuchs, SJ3,5-N	PTB 00ATEX2219X
		Pepperl & Fuchs, NCN4-12GMN0	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ2-12GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ4-12GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ5-18GK-N	PTB 00ATEX2048X
		Pepperl & Fuchs, SJ3,5-S1N	PTB 00ATEX2049X
		Pepperl & Fuchs, NJ1.5-8GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ2-14GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ4-12GM-N	PTB 00ATEX2048X
		Pepperl & Fuchs, NJ5-18GM-N	PTB 00ATEX2048X
F	Transmitter	PR Electronics, 5333B	Kema 03ATEX1535X
		PR Electronics, 5333C	Kema 03ATEX1535X
		PR Electronics, 5333D	Kema 03ATEX1535X
		PR Electronics 5335B	Kema 03ATEX1537X
		PR Electronics 5335C	Kema 03ATEX1537X
		PR Electronics 5335D	Kema 03ATEX1537X
		PR Electronics 5350B	Kema 02ATEX1318
	Optional	Pepperl & Fuchs, NJ2-11-SN-G	PTB 00ATEX2049X
	Proximity Sensor	Pepperl & Fuchs, NJ2-12GK-SN	PTB 00ATEX2049X
	Type 2	Pepperl & Fuchs, NJ4-12GK-SN	PTB 00ATEX2049X
		Pepperl & Fuchs, NJ5-18GK-SN	PTB 00ATEX2049X
		Pepperl & Fuchs, SJ3,5-SN	PTB 00ATEX2049X
E	Transmitter	Zettlex Printed Technologies Ltd, ST-1509-V1-A	FTZÚ 09ATEX0221X
	Optional	Pepperl & Fuchs, NJ2-11-SN-G	PTB 00ATEX2049X
	Proximity Sensor	Pepperl & Fuchs, NJ2-12GK-SN	PTB 00ATEX2049X
	Type 2	Pepperl & Fuchs, NJ4-12GK-SN	PTB 00ATEX2049X
		Pepperl & Fuchs, NJ5-18GK-SN	PTB 00ATEX2049X
		Pepperl & Fuchs, SJ3,5-SN	PTB 00ATEX2049X

Variation 1 - This variation introduced the following changes:

i. The Applicant's address was changed:

From: Unit 5a Valley Industries Hadlow Road, Tonbridge Kent TN11 0AH UK To: Unit 4, Tenth Avenue Deeside Industrial Park Flintshire CH5 2UA UK

This certificate and its schedules may only be reproduced in its entirety and without change





EU-TYPE EXAMINATION CERTIFICATE

Sira 10ATEX2060X Issue 2

14 **DESCRIPTIVE DOCUMENTS**

14.1 Drawings

Refer to Certificate Annexe.

14.2 Associated Sira Reports and Certificate History

Issue	Date	Report no.	Comment
0	24 March 2010	R21284A/00	The release of the prime certificate.
1	20 November 2014	R70015826A	The introduction of Variation 1.
2	15th October 2019	1762	• Transfer of certificate Sira 10ATEX2060X from Sira Certification Service to CSA Group Netherlands B.V
			• EC Type-Examination Certificate in accordance with 94/9/EC updated to EU Type-Examination Certificate in accordance with Directive 2014/34/EU. (In accordance with Article 41 of Directive 2014/34/EU, EC Type- Examination Certificates referring to 94/9/EC that were in existence prior to the date of application of 2014/34/EU (20 April 2016) may be referenced as if they were issued in accordance with Directive 2014/34/EU. Variations to such EC Type- Examination Certificates may continue to bear the original certificate number issued prior to 20 April 2016.)

15 **SPECIAL CONDITIONS FOR SAFE USE** (denoted by X after the certificate number)

- 15.1 The user/installer shall ensure that versions of these Valve Monitors that use an enclosure that orporates light metals are installed in a manner that minimises the risk of impact or friction with other metal surfaces.
- 15.2 Parts of these Valve Monitors are made of plastic. By virtue of its shape, design and position of use, it is assessed that this device is not considered to be an electrostatic risk; however, it shall not be installed in a position where it may be subjected to an excessive air/fluid flow or be subjected to rubbing that may cause an electrostatic build-up, it shall also be cleaned with a damp cloth.
- 15.3 The user/installer shall install these Valve Monitors taking into account any restrictions or special conditions for safe use that are applicable to the previously certified devices that are fitted in the devices.

16 ESSENTIAL HEALTH AND SAFETY REQUIREMENTS OF ANNEX II (EHSRs)

The relevant EHSRs that are not addressed by the standards listed in this certificate have been identified and individually assessed in the reports listed in Section 14.2.

Certificate Annexe



Certificate Number:	Sira 10ATEX2060X
Equipment:	AQ - Valve Position Monitor
Applicant:	Imtex Controls Ltd

Issue 0

Drawing No.	Sheets	Rev.	Date (Sira stamp)	Title
A190228	1 of 1	-	26 Feb 10	Type AQ-IS-ATEX Master Model Description
AQ17S5SR-ZOO	1 of 2	Α	26 Feb 10	AQ Monitor w/2 x V3 GP Mech – ATEX
AQ17S5SR-ZOO	2 of 2	Α	26 Feb 10	AQ Monitor w/2 x V3 GP Mech – ATEX
AQ70S5SR-GPP	1 of 1	-	26 Feb 10	Type AQ with Non-Contact Trans & 4 x Mech
J100367	1 of 1	-	26 Feb 10	Type AQ Basic Arrangement
A190241	1 of 1	-	26 Feb 10	Type AQ Wiring diagram
A160175	1 of 1	Α	26 Feb 10	Type AQ Title Plate ATEX Unit
A160155	1 of 1	Α	26 Feb 10	Monitor Safety Label
A110009	1 of 1	Α	26 Feb 10	MK3-6 Terminal Block
A160149A	1 of 1	-	26 Feb 10	Z Label
A160150A	1 of 1	-	26 Feb 10	Y Label
A160151A	1 of 1	-	26 Feb 10	W Label
A160152A	1 of 1	-	26 Feb 10	V Label
A160153A	1 of 1	-	26 Feb 10	U Label
A160154A	1 of 1	-	26 Feb 10	T Label
A160162A	1 of 1	-	26 Feb 10	J Label
A160171A	1 of 1	-	26 Feb 10	H Label
A160174	1 of 1	-	26 Feb 10	G Label
A160177	1 of 1	-	26 Feb 10	F Label
A160178	1 of 1	-	26 Feb 10	E Label

Issue 1

Drawing	Sheets	Rev.	Date (Sira stamp)	Title
A160175	1 of 1	С	20 Nov 14	Title Plate ATEX Unit

This certificate and its schedules may only be reproduced in its entirety and without change